ELSEVIER

ISPRS Journal of Photogrammetry & Remote Sensing 54 (1999) 375–376

PHOTOGRAMMETRY & REMOTE SENSING

Author Index, Volume 54

Ackermann, F.
Airborne laser scanning—present status and future expectations. 54/2–3 (Jul 99): 64–67

Agouris, P.
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

Avena, G.
see Ricotta, C. 54/5 (Dec 99): 325–331

Axelsson, P.
Processing of laser scanner data—algorithms and applications. 54/2–3 (Jul 99): 138–147

Baltsavias, E.P.
A comparison between photogrammetry and laser scanning. 54/2–3 (Jul 99): 83–94

Baltsavias, E.P.
Airborne laser scanning: basic relations and formulas. 54/2–3 (Jul 99): 199–214

Baltsavias, E.P.
Airborne laser scanning: existing systems and firms and other resources. 54/2–3 (Jul 99): 164–198

Blair, J.B.
The Laser Vegetation Imaging Sensor: a medium-altitude, digitisation-only, airborne laser altimeter for mapping vegetation and topography. 54/2–3 (Jul 99): 115–122

Brenner, C.
see Haala, N. 54/2–3 (Jul 99): 130–137

Cannon, M.E.
see Skone, S. 54/4 (Sep 99): 279–288

Carswell, J.
see Agouris, P. 54/4 (Sep 99): 263–272

Chakraborty, M.
see Panigrahy, S. 54/4 (Sep 99): 254–262

Chen, X.
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

Cintra, J.P.
see Da Costa, S.M.F. 54/1 (Feb 99): 41–49

Clevers, J.G.P.W.
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Da Costa, S.M.F.
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

De Palma, A.
see Ricotta, C. 54/5 (Dec 99): 325–331

Ebner, H.
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Ebrahim, M.A.
see Hanke, K. 54/1 (Feb 99): 35–40

Förstner, W.
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Gomes Pereira, L.M.
Suitability of laser data for deriving geographical information. A case study in the context of management of fluvial zones. 54/2–3 (Jul 99): 105–114

Gomes Pereira, L.M.
Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

Gonçalves, J.G.M.
see Sequeira, V. 54/1 (Feb 99): 1–22

Gülch, E.
see Förstner, W. 54/1 (Feb 99): 23–34

Haala, N.
Extraction of buildings and trees in urban environments. 54/2–3 (Jul 99): 130–137

Hanke, K.
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40

Hasegawa, H.
see Murakami, H. 54/2–3 (Jul 99): 148–152

Hofton, M.A.
see Blair, J.B. 54/2–3 (Jul 99): 115–122

Hogg, D.
see Sequeira, V. 54/1 (Feb 99): 1–22

Irish, J.L.
Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 (Jul 99): 123–129

Iwanami, E.
see Murakami, H. 54/2–3 (Jul 99): 148–152

Janssen, L.L.F.
see Gomes Pereira, L.M. 54/4 (Sep 99): 244–253

Kornus, W.
see Ebner, H. 54/5 (Dec 99): 332–341

Kübler, S.
GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Kundu, N.
see Panigrahy, S. 54/4 (Sep 99): 254–262

Lillycrop, W.J.
see Irish, J.L. 54/2–3 (Jul 99): 123–129

Lohr, U.
see Wehr, A. 54/2–3 (Jul 99): 68–82

Maas, H.-G.
Two algorithms for extracting building models from raw laser altimetry data. 54/2–3 (Jul 99): 153–163

Maas, H.-G.
Image sequence based automatic multi-camera system calibration techniques. 54/4 (Sep 99): 352–359

Manjunath, K.R.
see Panigrahy, S. 54/4 (Sep 99): 254–262

Metternicht, G.
Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

Murai, S.
see Pahari, K. 54/5 (Dec 99): 317–324

Murai, S.
Development of polygon shift method for generating 3D view map of buildings. 54/5 (Dec 99): 342–351

Murakami, H.
Change detection of buildings using an airborne laser scanner. 54/2–3 (Jul 99): 148–152

Nakagawa, K.
see Murakami, H. 54/2–3 (Jul 99): 148–152

Neusch, T.
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

Ng, K.
see Sequeira, V. 54/1 (Feb 99): 1–22

Noerdlinger, P.D.
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Ohlhof, T.
see Ebner, H. 54/5 (Dec 99): 332–341

Ono, K.
see Murai, S. 54/5 (Dec 99): 342–351

Pahari, K.
Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Panigrahy, S.
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

Parihar, J.S.
see Panigrahy, S. 54/4 (Sep 99): 254–262

Petzold, B.
Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. 54/2–3 (Jul 99): 95–104

Phonekeo, V.
see Murai, S. 54/5 (Dec 99): 342–351

Putz, E.
see Ebner, H. 54/5 (Dec 99): 332–341

Rabine, D.L.
see Blair, J.B. 54/2–3 (Jul 99): 115–122

Radhadevi, P.V.
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Reiss, P.
see Petzold, B. 54/2–3 (Jul 99): 95–104

Ricotta, C.
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

Sequeira, V.
Automated reconstruction of 3D models from real environments. 54/1 (Feb 99): 1–22

Shibata, T.
see Murakami, H. 54/2–3 (Jul 99): 148–152

Skone, S.
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

Stefanidis, A.
see Agouris, P. 54/4 (Sep 99): 263–272

Sties, M.
see Neusch, T. 54/4 (Sep 99): 273–278

Stössel, W.
see Petzold, B. 54/2–3 (Jul 99): 95–104

Tateishi, R.
see Chen, X. 54/5 (Dec 99): 305–316

Voisard, A.
see Kübler, S. 54/4 (Sep 99): 234–243

Vosselman, G.
see Maas, H.-G. 54/2–3 (Jul 99): 153–163

Wang, C.
see Chen, X. 54/5 (Dec 99): 305–316

Wehr, A.
Airborne laser scanning—an introduction and overview. 54/2–3 (Jul 99): 68–82

Wicherson, R.J.
see Gomes Pereira, L.M. 54/2–3 (Jul 99): 105–114

Wolfart, E.
see Sequeira, V. 54/1 (Feb 99): 1–22

Yasue, S.
see Murai, S. 54/5 (Dec 99): 342–351

Zhang, Y.
Optimisation of building detection in satellite images by combining multispectral classification and texture filtering. 54/1 (Feb 99): 50–60

ELSEVIER

ISPRS Journal of Photogrammetry & Remote Sensing 54 (1999) 377–381

PHOTOGRAMMETRY & REMOTE SENSING

Subject Index, Volume 54

Accuracy
Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

Agriculture
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Airborne laser scanner
Change detection of buildings using an airborne laser scanner. 54/2–3 (July 99): 148–152

Airborne laser scanners (commercial firms)
Airborne laser scanning: existing systems and firms and other resources. 54/2–3 (July 99): 164–198

Airborne laser scanners (technical specifications)
Airborne laser scanning: existing systems and firms and other resources. 54/2–3 (July 99): 164–198

Airborne laser scanning
Airborne laser scanning—present status and future expectations. 54/2–3 (July 99): 64–67

Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

A comparison between photogrammetry and laser scanning. 54/2–3 (July 99): 83–94

Suitability of laser data for deriving geographical information. A case study in the context of management of fluvial zones. 54/2–3 (July 99): 105–114

Two algorithms for extracting building models from raw laser altimetry data. 54/2–3 (July 99): 153–163

Airborne laser scanning: existing systems and firms and other resources. 54/2–3 (July 99): 164–198

Airborne laser scanning
Airborne laser scanning: basic relations and formulas. 54/2–3 (July 99): 199–214

Airborne laser scanning (data processing chain)
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

Airborne remote sensing
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

Airborne SAR imagery
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

Applications
A comparison between photogrammetry and laser scanning. 54/2–3 (July 99): 83–94

Auroral region
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

Automatic registration
Automated reconstruction of 3D models from real environments. 54/1 (Feb 99): 1–22

AVHRR
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

AVIRIS
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Backscatter
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

Basic relations
Airborne laser scanning: basic relations and formulas. 54/2–3 (July 99): 199–214

Block adjustment
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

BRDF
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Building
Change detection of buildings using an airborne laser scanner. (Murakami, H. 54/2–3 (July 99): 148–152

Building detection
Optimisation of building detection in satellite images by combining multispectral classification and texture filtering. 54/1 (Feb 99): 50–60

Building extraction
Extraction of buildings and trees in urban environments. 54/2–3 (July 99): 130–137

Building modelling
Two algorithms for extracting building models from raw laser altimetry data 54/2–3 (July 99): 153–163

Bundle block adjustment
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Calibration
Image sequence based automatic multi-camera system calibration techniques. 54/5 (Sep 99): 352–359

Camera orientation
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Change detection
Change detection of buildings using an airborne laser scanner. 54/2–3 (July 99): 148–152

Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

China
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

Classification
Extraction of buildings and trees in urban environments. 54/2–3 (July 99): 130–137

Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Classification accuracy
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

Close-range photogrammetry
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40

Comparison
A comparison between photogrammetry and laser scanning. 54/2–3 (July 99): 83–94

Computer vision and photogrammetry
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Continuous wave laser
Airborne laser scanning—present status and future expectations. 54/2–3 (July 99): 64–67

Co-occurrence matrix based filtering
Optimisation of building detection in satellite images by combining multispectral classification and texture filtering. 54/1 (Feb 99): 50–60

Corsica
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

Crop growth
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Cumulative vegetation indices
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

CW-lasers
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

3D Accuracy analysis
Airborne laser scanning: basic relations and formulas. 54/2–3 (July 99): 199–214

Databases
GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Dataset
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

3D City Models
Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Developing countries
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

Differential GPS
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

Digital and analytical photogrammetry
A comparison between photogrammetry and laser scanning. 54/2–3 (July 99): 83–94

Digital Projector
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40

Digital surface model
Change detection of buildings using an airborne laser scanner. 54/2–3 (July 99): 148–152

Digital terrain model
Airborne laser scanning—present status and future expectations. 54/2–3 (July 99): 64–67

Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. 54/2–3 (July 99): 95–104

3D-modeling
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

3D modeling
Extraction of buildings and trees in urban environments. 54/2–3 (July 99): 130–137

DSM
Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

DTM
Suitability of laser data for deriving geographical information. A case study in the context of management of fluvial zones. 54/2–3 (July 99): 105–114

Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

DTM editing
Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. 54/2–3 (July 99): 95–104

DTM generation
A comparison between photogrammetry and laser scanning. 54/2–3 (July 99): 83–94

3D view map
Development of polygon shift method for generating 3D view map of buildings. 54/5 (Dec 99): 342–351

Dynamic 3-D measurements
Image sequence based automatic multi-camera system calibration techniques. 54/5 (Sep 99): 352–359

Earth limb observations
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Environment
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

Feature libraries
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

Filtering
Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Forest loss
Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Formulas
Airborne laser scanning: basic relations and formulas. 54/2–3 (July 99): 199–214

Fourier transform
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

Fuzzy logic
Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

Fuzzy sets
Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

Geology
GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Geometric reasoning
Two algorithms for extracting building models from raw laser altimetry data. 54/2–3 (July 99): 153–163

GIS
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Global land cover change
Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Graphical user interface
GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Ground control points
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Hidden point algorithm
Development of polygon shift method for generating 3D view map of buildings. 54/5 (Dec 99): 342–351

Hydrographic survey
Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 (July 99): 123–129

Hypermap
GeoHyp: an adaptive human interface for geologic maps and their databases. 54/4 (Sep 99): 234–243

Image orientation
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Image retrieval
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

Image sequences
Image sequence based automatic multi-camera system calibration techniques. 54/4 (Sep 99): 352–359

Imaging spectrometry
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Invariant moments
Two algorithms for extracting building models from raw laser altimetry data. 54/2–3 (July 99): 153–163

Ionospheric effects
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

IRS-1C/1D PAN
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Landcover
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

Laser altimetry
The Laser Vegetation Imaging Sensor: a medium-altitude, digitisation-only, airborne laser altimeter for mapping vegetation and topography. 54/2–3 (July 99): 115–122

Laser range
Automated reconstruction of 3D models from real environments. 54/1 (Feb 99): 1–22

Laser ranging resolution and precision
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

Laser scanner
Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Laser scanning
Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. 54/2–3 (July 99): 95–104

Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

Laser scanning methods
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

Lidar
The Laser Vegetation Imaging Sensor: a medium-altitude, digitisation-only, airborne laser altimeter for mapping vegetation and topography. 54/2–3 (July 99): 115–122

Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 (July 99): 123–129

Mapping agencies
Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. 54/2–3 (July 99): 95–104

Map revision
Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

Matching
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

MDL
Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Metropolitan areas
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

Modelling
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

Modelling
Processing of laser scanner data—algorithms and applications. 54/2–3 (July 99): 138–147

Model sensitivity
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

MOMS
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Multiple view
Automated reconstruction of 3D models from real environments. 54/1 (Feb 99): 1–22

Multispectral classification
Optimisation of building detection in satellite images by combining multispectral classification and texture filtering. 54/1 (Feb 99): 50–60

NDVI
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

Net primary productivity
Mapping and monitoring net primary productivity with AVHRR NDVI time-series: statistical equivalence of cumulative vegetation indices. 54/5 (Dec 99): 325–331

Normalised Difference Vegetation Index (NDVI)
Development of a 1-km landcover dataset of China using AVHRR data. 54/5 (Dec 99): 305–316

Object- and image models
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Orbital constraints
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Orientation
Image sequence based automatic multi-camera system calibration techniques. 54/4 (Sep 99): 352–359

Photogrammetry
Suitability of laser data for deriving geographical information. A case study in the context of management of fluvial zones. 54/2–3 (July 99): 105–114

Photomodel
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40

Planimetric accuracy analysis
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Polygon shift method
Development of polygon shift method for generating 3D view map buildings. 54/5 (Dec 99): 342–351

Population-deforestation model
Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Population density
Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Position and orientation systems
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

Potato
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

Principal component analysis
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Pulse lasers
Airborne laser scanning—an introduction and overview. 54/2–3 (July 99): 68–82

RADARSAT
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

Raytracing
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40

Rectification
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Red-edge index
The use of imaging spectrometry for agricultural applications. 54/5 (Dec 99): 299–304

Remote sensing
Environmental analysis of metropolitan areas in Brazil. 54/1 (Feb 99): 41–49

Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 (July 99): 123–129

Change detection assessment using fuzzy sets and remotely sensed data: an application of topographic map revision. 54/4 (Sep 99): 221–233

Modelling for prediction of global deforestation based on the growth of human population. 54/5 (Dec 99): 317–324

Rice
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

River management
Suitability of laser data for deriving geographical information. A case study in the context of management of fluvial zones. 54/2–3 (July 99): 105–114

Road planning and design
Suitability of laser data for DTM generation: a case study in the context of road planning and design. 54/4 (Sep 99): 244–253

Saco River
Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 123–129

SAR
Evaluation of RADARSAT Standard Beam data for identification of potato and rice crops in India. 54/4 (Sep 99): 254–262

E-SAR sensor
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

Satellite images
Optimisation of building detection in satellite images by combining multispectral classification and texture filtering. 54/1 (Feb 99): 50–60

Satellite observations
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Segmentation
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Semantic scene knowledge
Automatic orientation and recognition in highly structured scenes. 54/1 (Feb 99): 23–34

Sensor modelling
Pass processing of IRS-1C/1D PAN subscene blocks. 54/4 (Sep 99): 289–297

Shadow analysis
Development of polygon shift method for generating 3D view map of buildings. 54/5 (Dec 99): 342–351

Shape similarity
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

SHOALS
Scanning laser mapping of the coastal zone: the SHOALS system. 54/2–3 (July 99): 123–129

Soil moisture
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

Spaceborne imagery
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Spatial databases
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

Stmospheric refraction
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Substorm activity
Ionospheric effects on differential GPS applications during auroral substorm activity. 54/4 (Sep 99): 279–288

Surface roughness
Application of the Dubois-model using experimental synthetic aperture radar data for the determination of soil moisture and surface roughness. 54/4 (Sep 99): 273–278

Terminator observations
Atmospheric refraction effects in Earth remote sensing. 54/5 (Dec 99): 360–373

Terminology
Airborne laser scanning: basic relations and formulas. 54/2–3 (July 99): 199–214

Texture-map
Automated reconstruction of 3D models from real environments. 54/1 (Feb 99): 1–22

Three-line CCD cameras
Orientation of MOMS-02/D2 and MOMS-2P/PRIRODA imagery. 54/5 (Dec 99): 332–341

Topography
The Laser Vegetation Imaging Sensor: a medium-altitude, digitisation-only, airborne laser altimeter for mapping vegetation and topography. 54/2–3 (July 99): 115–122

Topology similarity
An environment for content-based image retrieval from large spatial databases. 54/4 (Sep 99): 263–272

Tree extraction
virtual city models; 3D modeling; classification; building extraction 54/2–3 (July 99): 130–137

Vegetation height
The Laser Vegetation Imaging Sensor: a medium-altitude, digitisation-only, airborne laser altimeter for mapping vegetation and topography. 54/2–3 (July 99): 115–122

Virtual city models
3D modeling; classification; building extraction; tree extraction 54/2–3 (July 99): 130–137

VRML
The 'Digital Projector'. Raytracing as a tool for digital close-range photogrammetry. 54/1 (Feb 99): 35–40